Operation Guide 3488

CASIO

About This Manual

Note that the product illustrations in this manual are intended for reference only, and so the actual product may appear somewhat different than depicted by an illustration.

E-1

Contents

About This Manual	E-1
General Guide	E-4
Timekeeping Mode	E-6
Countdown Timer Mode	E-9
Stopwatch Mode	E-12
Alarm Mode	E-17
Dual Time Mode	E-21
Illumination	E-23
Specifications	E-24

Procedure Lookup


The following is a handy reference list of all the operational procedures contained in

To set the time and dateE-6
To set the countdown start timeE-9
To use the countdown timerE-10
To switch auto repeat timing and the progress beeper on and off E-11
To turn the Auto-Start function on and offE-14
To set the Target Time and to turn it on and offE-15
To set the alarm timeE-17
To turn the daily alarm and hourly time signal on and offE-19
To test the alarm sound
To set the Dual Time E-21
To turn on illumination
F-3


General Guide

- Press © to change from mode to mode
- After you perform an operation in any mode, pressing © returns to the Timekeeping Mode.
- If you do not press any button for a few minutes while making settings in any mode (indicated when settings are flashing), the watch automatically clears the setting screen (settings stop flashing) and returns to the normal display for the mode you are in.
- This watch returns to the Timekeeping Mode whenever you hold down the © button for one or two seconds. If you ever lose track of what mode you are in or what you should do next, hold down ⑤ to return to regular timekeeping.

 This is the disability of the disability of the disability of the disability.
- In any mode press (L) to illuminate the display.




Timekeeping Mode



To set the time and date

- Hold down (A) while in the Timekeeping Mode until the seconds digits flash on the display because they
- 2. Press © to change the selection in the following sequence



- 3. While the seconds digits are selected (flashing), press ① to reset the seconds to 00. If you press ② while the seconds count is in the range of 30 to 59, the seconds are reset to 00 and 1 is added to the minutes. If the seconds count is in the range of 00 to 29, the minutes count is unchanged.

 4. While any other digits (beside seconds) are selected (flashing), press ② to increase the number or ③ to decrease it. While the 12/24-hour format setting is selected, press ② or ④ to toggle it between 12 and 24.

 Except for when adjusting the seconds or setting the 12/24-hour format, holding down a button changes the current selection at high speed.

 When the 12-hour format is selected, the indicator P appears on the display to indicate "P.M." times. There is no indicator for "A.M." times.

 When the 24-hour format is selected, the indicator 24 appears on the display.


 The year can be set in the range of 2000 to 2099.

 The watch's built-in full automatic calendar makes allowances for different month lengths and leap years. Once you set the date, there should be no reason to change it except after you have the watch's battery replaced.

 The day of the week is displayed automatically in accordance with the date (year, month, and day) settings.

5. After you set the time and date, press (A) to return to the Timekeeping Mode.

Countdown Timer Mode



The countdown timer can be set within a range of 1 second to 24 hours. When the countdown reaches zero, an alarm sounds for 10 seconds or until you press any button.

To set the countdown start time

- Hold down (A) while in the Countdown Timer Mode. The hours digits flash on the display because they are selected.
- 2. Press © to change the selection in the following



F-8

- 3. Press (D) to increase the selected number or (B) to decrease it. Holding down
- 3. Press @ to increase the selection at high speed.
 heres @ and B at the same time to clear the starting time to 0:00' 00".
 To set the starting value of the countdown time to 24 hours, set 0:00' 00".
 After you set the countdown start time, press (A) twice to return to the Countdown Timer Mode.

F-10

1. Press () while in the Countdown Timer Mode to start the countdown timer.

2. Press () again to stop the countdown timer.

• You can resume countdown timer operation by pressing ().

3. Stop the countdown timer and then press () to reset the countdown time to its starting value.

• When the end of the countdown is reached and auto repeat timing is off, the alarm by pressing any button. alarm sounds for 10 seconds or until you stop the alarm by pressing any button. Countdown timing stops and the countdown time is automatically reset to its starting value after the alarm stops.

To switch auto repeat timing and the progress beeper on and off

- 1. Hold down (a) while in the Countdown Timer Mode. The hour digits flash on the display because they are *selected*. Press (a) again to move the flashing to the auto repeat ON/OFF setting.

 2. Press (c) or (d) to toggle auto repeat on (c) and off.


 3. Press (c) to move the flashing to the progress beeper ON/OFF setting.

 4. Press (a) or (b) to toggle the progress beeper on (b) and off.

 5. Press (a) to return to the Countdown Timer Mode.

- When the end of the countdown is reached while auto repeat is on, the alarm When the end of the countdown is reached while auto repeat is on, the alarm sounds, but the countdown restarts from the beginning without stopping. You can stop the countdown by pressing (a) and manually reset to the start time by pressing (b). If you set a starting time of 10 seconds or less and have Auto Repeat turned on, the countdown timer tone (which normally sounds for 10 seconds) sounds for only
- When the progress beeper is turned on, the watch beeps as the countdown time passes the 10, 5, 4, 3, 2, and 1-minute marks, and the 50, 40, 30, 20, 10, 5, 4, 3, 2, and 1-second marks.

Stopwatch Mode



The Stopwatch Mode lets you measure elapsed time, split times, and two finishes. The range of the stopwatch is 23 hour, 59 minutes, 59.99 seconds. You can also have an alarm sound when a target time is reached. The Stopwatch Mode also features an Auto-Start function.

(a) Elapsed time measurement (D) = (D) = (B) (D)= (b) Split time (D) = **→** B • (D) B Start Split Split release Reset Stop (c) Split time and two finishes (B) (D) = (D) = (B) (B) Start Split release Split Stop First runner Second runner Record time of finishes. finishes. Record time of second runner. first runner.

About the Auto-Start function

With the Auto-Start function, the watch performs a 5-second countdown. When the countdown reaches zero, stopwatch operation starts automatically. During the final three seconds of the countdown, a beeper sounds with each second.

To turn the Auto-Start function on and off


While the display is showing all zeros in the Stopwatch Mode, press ® to toggle it

 on and off.
 The indicator **A.START** appears and **05** is shown in the upper display while Auto-Start is turned on. The ASTART indicator is not shown and the upper display while Auto-Start is turned on. The ASTART indicator is not shown and the upper part of the display shows the current time when Auto-Start is turned off.

About the Target Time function

With the Target Time function, an alarm sounds for ten seconds whenever the time being kept by the stopwatch reaches a target time you have preset.

To set the Target Time and to turn it on and off



- While the display is showing all zeros in the Stopwatch Mode, hold down (A), and the hour digit of the target time starts to flash because it is selected.

 Press (C) to change the selection in the following
- sequence.



- decrease it. Holding down either button changes the selection at high speed.
- setting to 0:00' 00"

E-14 E-15

- 4. Press A to move the flashing to the target time ON/OFF setting. 5. Press B or B to toggle the target time on and off. 6. Press A to return to the Stopwatch Mode.

The alarm will not sound if you do not turn on the target time.

• Press (A), (C) or (L) to stop the alarm after it starts to sound

Alarm Mode

Hour

Hourly time signal on indicator


Current time

10:58 50

When the Daily Alarm is switched on, the alarm sounds for 20 seconds at the preset time each day. Press any button to stop the alarm after it starts to sound. When the Hourly Time Signal is on, the watch beeps every hour on the hour.

To set the alarm time

- Hold down (a) until the hour digits start to flash on the display. The hour digits flash because they are selected.
- This operation will switch the Daily Alarm on automatically.
- 2. Press © to change the selection in the following sequence.



- 3. Press ① to increase the selected digits and ⑧ to decrease them. Holding down
- either button changes the selection at high speed.


 The format (12-hour and 24-hour) of the alarm time matches the format you
- Select for regular timekeeping.
 When setting the alarm time using the 12-hour format, take care to set the time correctly as morning (no indicator) or afternoon (P).

 4. After you set the alarm time, press (A) to return to the Alarm Mode.

To turn the daily alarm and hourly time signal on and off

Minutes

Press (B) while in the Alarm Mode to change the status of the daily alarm and hourly time signal in the following sequence.



• The alarm on indicator (♠))) and the Hourly Time Signal on indicator (♠) are shown on the display in all modes while these functions are turned on.

F-18 F-19

Operation Guide 3488

CASIO

E-21

Hold down (B) while in the Alarm Mode to sound the alarm.

• Note that pressing (B) also changes the alarm and the hourly time signal ON/OFF

Dual Time Mode



The Dual Time Mode lets you keep track of the time in another time zone. You can also select the timekeeping format (12-hour or 24-hour) separately from the Timekeeping Mode.

- To set the Dual Time

 1. Hold down (a) while in the Dual Time Mode. The hour digits flash on the display because they are selected.

 2. Press (a) to change the selection in the following
- sequence.



3. Press ① to increase the selected digits and ⑧ to decrease them. Holding down either button changes the selection at high speed.

E-20

- 4. After you set the time, press (a) to return to the Dual Time Mode.

 In the Dual Time Mode, the seconds count is synchronized with the seconds count of the Timekeeping Mode.

 In the Dual Time Mode, press (B) to toggle between the 12-hour and 24-hour

Illumination



The face of the watch is illuminated for easy reading in the dark.

To turn on illumination

In any mode (except when a setting mode, with flashing digits is on the display), press \bigcirc to illuminate the display.

Illumination Precautions

- Illumination may be hard to see when viewed under direct sunlight.
 Illumination turns off automatically whenever an alarm
- sounds.
 Frequent use of illumination runs down the battery.

Specifications

Accuracy at normal temperature: ±30 seconds a month

Timekeeping: Hour, minutes, seconds, pm (P), day of the week, month, day Time format: 12-hour and 24-hour formats Calendar system: Full Auto-calendar pre-programmed from the year 2000 to 2099

Countdown Timer
Measuring unit: 1/10 second
Input range: 1 second to 24 hours
Others: Auto repeat function, progress beeper function

Stopwatch
Measuring unit: 1/100 second
Measuring capacity: 23 hours 59 minutes, 59.99 seconds
Measuring modes: Elapsed time, split time and two finishes

Others: Target Time Alarm, Auto-Start Alarm: Daily alarm, hourly time signal

Dual Time

Illumination: LED (light-emitting diode) Battery: One lithium battery (Type: CR2025)
Battery life: 10 years under the following conditions
• One 2-second light operation per day

• One 20-second alarm operation per day

E-24 E-25