

INSTRUCTION MANUAL FOR WATCH CALIBRE Z010



THIS PRODUCT CONTAINS A BUTTON BATTERY

If swallowed or placed inside any part of the body, the battery can

cause severe or fatal injuries within 2 hours or less.

Button batteries are hazardous whether new or used. Keep batteries out of reach of children.

If you think the battery may have been swallowed or placed inside any part of the body, seek immediate medical attention. Contact the Australian Poisons Information Centre immediately on 13 11 26

(New Zealand 0800 764 766) for 24 / 7 fast, expert advice.

CHARACTERISTICS

- Time/calendar display: Hour, minute, second, month, date and day of the week Time indication: 12-hour display format with PM indicator and 24-hour display format are 1.
- available.
- Stopwatch: The stopwatch can measure up to 23 hours 59 minutes and 59 seconds in 1/100-second increments. Lap time measurement is available. Up to 15 lap times can be stored in memory. 3. Stopwatch:

Memory recall function: Data obtained in the Stopwatch mode can be recalled after measurement.

- Countdown timer: The countdown timer can be set up to 23 hours 59 minutes and 59 seconds.
- 5. Daily alarm: The daily alarm can be set to sound at the designated time on a 24-hour basis. Three individual daily alarms can be set. Single-time alarm: The Single-time alarm sounds only once at a designated time and it is disengaged automatically. Five individual single-time alarms can be set.
- 6. Second Time Zone: T zone can be displayed. Time in a different time
- Chime: The chime can be set to sound every 7. hour on the hour with a single beep.
- **Illuminating light:** The built-in electro-luminescent (EL) light evenly illuminates the display for easy viewing in darkness.

Day of the week

B (START/STOP)

BUTTONS AND DISPLAYS

Local city

A (SET/LIGHT)





■ HOW TO SET THE TIME/CALENDAR

- Press Button A for 2 seconds to change the display to the TIME/CALENDAR SETTING mode. (The second digits start flashing.) 2
- Selection of the digits to be adjusted (flashing) is made in the following order by pressing

LORUS

Choice of 12-Hour/24-Hour format

The time display format in either 12-hour indication or in 24-hour indication can be The time display formation entries is a second indication or in 24-hour indication can be selected alternately by pressing button B or C. Under the 12-hour indication format, "PM" mark appears in the afternoon, but no AM mark appears in the morning. Under the 24-hour indication format, no mark appears on the diplay. the display

■ ENGAGEMENT/DISENGAGEMENT OF CHIME

With each press of Button C in the TIME/CALENDAR mode, the chime can be alternately engaged or disengaged. The CHIME signal appears or disappears on the display accordingly

HOW TO USE STOPWATCH

Press Button D to go to the STOPWATCH mode. The STOPWATCH mode indicator appears on the display.



- Total time from START
- Measurement and release of lap time can be repeated by pressing Button C
- When Button C is pressed, the display changes to show the current lap time and total time from START for 3 seconds, and then it automatically returns to show the ongoing measurement.
- When the stopwatch is reset by pressing Button C, the measured data is stored in memory

During the measurement, the STOPWATCH signal keeps flashing. Press Button D to return to the TIME/CALENDAR

mode

Memory Recall Function

Data obtained in the Stopwatch mode can be recalled after measurement. Each time data from START to RESET is managed as a RUN. Press Button D to return to the TIME/CALENDAR mode.

Press Button D to go to the Memory Recall mode. The MEMORY RECALL moce indicator appears on the display.

MEMORY RECALL moce indicator



- Press Button C to show the data of the latest 2. measurement. The elapsed time and the date of measurement are displayed with a RUN number.
- Press Button B to read each recorded lap time. 3.

Button D



- One digit (flashing) is increased or decreased with each pressing of Button B or C, respectively. To move the digits quickly, keep 3 the Button pressed.
 - Second setting

Press Button B or C in accordance with a time signal. The second digits are reset to "00" and start counting immediately.

When the second digits count any number from "30" to "59" and Button B or C is pressed, one minute is added and the seconds are immediately reset to "00."



After all the adjustments are completed, press 4 Button A to return to the TIME/CALENDAR mode.

Recorded lap time is shown in order of each lap number.

Press Button C to exit the Memory Recall Function. The display returns to the MEMORY 4. RECALL mode.



How to delete all of the memories

Press Button A for 2 seconds. The "DELETE" indicator appears on the display when the watch starts deleting stored data. When the deletion is finished, the display returns to the MEMORY RECALL mode, and after 1 second, it automatically goes to the STOPWATCH mode.



■ HOW TO USE COUNTDOWN TIMER

Press Button D three times to go to the TIMER mode. The TIMER mode indicator appears on the display.

- Press Button A for 2 seconds to change the display to the TIMER SETTING mode. The hour digits start flashing. Press Button P 1.
- Press Button B or C to set the second digits. One digit (flashing) is increased or decreased with each pressing of Button B or C, respectively. To move the digits quickly, keep the Button pressed.
- Press Button D to confirm the second setting and move on to the minute setting. The minute digits start flashing.
- Press Button B or C to set the minute digits. One digit (flashing) is increased or decreased with each pressing of Button B or C, respectively. To move the digits quickly, keep the Button pressed. 4.
- Press Button D to confirm the minute setting and move on to the hour setting. The hour digits start flashing.
- Press Button D to set the Timer number.
- 7. Press Button A to complete the timer setting.



Press Button B in the TIMER mode to start the countdown timer. 1.

Press Button B to stop the countdown timer.

Reset

Start

Stop

3. To reset the timer, press Button C Press Button D to return to the TIME/CALENDAR mode.



HOW TO USE DAILY ALARM

Press Button D four times to go to the ALARM mode. The DAILY ALARM mode indicator appears on the display.

- Press Button A for 2 seconds to change the display to the DAILY ALARM SETTING mode. The hour digits start flashing.
- One digit (flashing) is increased or decreased with each press of Button B or C, respectively. To move the digits quickly, keep the Button 2. pressed
- Press Button D to confirm the hour setting and move on to the minute setting. The minute 3. digits start flashing.
- Press Button B or C to set the minute digits. One digit (flashing) is increased or decreased with each press of Button B or C, respectively. To move the digits quickly, keep the Button 4 pressed.
- Press Button D to confirm the minute setting 5. and move on to the alarm number setting. The alarm number starts flashing.
- Press Button B or C to select the alarm number. Press Button A to complete the alarm setting.



ALARM NUMBER SETTING MINUTE SETTING

Note: The alarm can be set only in one time zone.

Engagement/disengagement of daily alarm

With each press of Button B in the DAILY ALARM mode, the alarm can be alternately engaged or disengaged. The ALARM signal appears or disappears on the display accordingly.

How to stop the alarm while sounding

The alarm sounds for 10 seconds at the designated time. To stop it manually while sounding, press any Button.

■ HOW TO USE SINGLE-TIME ALARM

How to stop the alarm while sounding

The alarm sounds for 10 seconds at the designated time. To stop it manually while sounding, press any Button.

■ HOW TO SET SECOND TIME ZONE

Press Button D six times to go to the SECOND TIME ZONE mode

- 1. Press Button C to select the city code.
- If the daylight saving time is effective in the selected city, press Button B to show the daylight saving time. The daylight saving time ("DST") mark will appear.

Press Button D to return to the TIME/CALENDAR mode.



City code	Time	City		
	differences			
H11	-11	Pago Pago		
HNL	-10	Honolulu, Patete		
ANC	-9	Anchorage, Nome		
LAX	-8	Los Angeles, San Francisco,		
		Las Vegas, Vancouver, Seattle		
DEN	-7	Denver, Edmonton		
CHI	-6	Chicago, Mexico City, Houston,		
		New Orleans, Winnipeg		
NYC	-5	New York, Washington, D.C.,		
		Montreal, Lima, Havana, Bostor		
SDQ	-4	Santo Domingo(*)		
RIO	-3	Rio de Janeiro, Buenos Aires,		
		Brasilia, Montevideo, São Paulo		
H02	-2			
H01	-1	Praia		
GMT	0			
LON	0	London, Dublin, Reykjavik,		
		Casablanca, Lisbon		
PAR	1	Paris, Vienna, Brussels, Berlin,		
		Madrid, Rome, Milan, Algiers,		
		Hamburg, Frankfurt, Stockholm		
CAI	2	Cairo, Athens, Helsinki,		
		Istanbul, Beirut, Damascus		
JED	3	Jeddah, Baghdad, Nairobi,		
		Kuwait, Riyadh, Moscow		
DXB	4	Dubai, Abu Dhabi,		
		Muscat		
КНІ	5	Karachi, Male		
DAC	6	Dacca, Colombo		
BKK	7	Bangkok, Hanoi, Jakarta,		
		Phnom Penh, Vientiane		
HKG	8	Hong Kong, Beijing, Singapore,		
		Manila, Taipei, Kuala Lumpur, Perth		
TYO	9	Tokyo, Seoul, Pyongyang		
SYD	10	Sydney, Guam, Melbourne, Rabau		
NOU	11	Nouméa, Port Villa		
WLG	12	Wellington, Auckland,		
		Christchurch, Nauru Island		
(*) The	display sho	ws "CCS" (Santiago), but		

currently Santiago is UTC-3.

■ HOW TO USE EL BACKLIGHT

In any mode press Button A to illuminate the display for about 4 seconds. Note:

- The backlight of the watch employs an electro-luminescent (EL) light, which tends to lose illuminating power after very long use
- The illumination provided by backlight may be hard to see when viewed under direct sunlight.

BATTERY CHANGE

The miniature battery CR2032 which powers your watch should last approximately 4 years. However, because it is inserted at the factory, the actual life of the battery once in your possession may be less than 4 years. Be sure to replace the battery to prevent any

possible malfunction as soon as it runs down. To replace the battery we recommend taking the watch to a local watch repair shop.

Note: If the alarm is used for more than 20 seconds a day and/or the illuminating light for more than 8 seconds a day, the battery life may be less than the specified

Press Button D five times to go to the SINGLE-TIME ALARM mode. The SINGLE-TIME ALARM mode indicator appears on the display

- 1. Press Button A for 2 seconds to change the display to the SINGLE-TIME ALARM SETTING mode. The minute digits start flashing.
- Press Button B or C to set the minute digits. One digit (flashing) is increased or decreased with each press of Button B or C, respectively. To move the digits quickly, keep the Button pressed
- Press Button D to confirm the minute setting and move on to the hour setting. One digit (flashing) is increased or decreased with each press of Button B or C, respectively. To move the digits quickly, keep the Button pressed.
- Press Button D to confirm the hour setting and move on to the year setting. The year digits 4. start flashing.
- One digit (flashing) is increased or decreased with each press of Button B or C, respectively. To move the digits quickly, keep the Button pressed.
- Press Button D to confirm the year setting and move on to the month setting. The month digits 6. start flashing.
- One digit (flashing) is increased or decreased with each press of Button B or C, respectively. To move the digits quickly, keep the Button pressed.
- Press Button D to confirm the month setting and move on to the date setting. The date 8. digits start flashing.
- One digit (flashing) is increased or decreased with each press of Button B or C, respectively. To move the digits quickly, keep the Button pressed
- 10. Press Button A to complete the single time alarm setting.



11. Press Button D to return to the TIME/CALENDAR mode.

Note: The alarm can be set only in one time zone.

Engagement/disengagement of single-time alarm

With each press of Button B in the SINGLE-TIM ALARM mode, the alarm can be alternately engaged or disengaged. The ALARM signal appears or disappears on the display accordingly.

■ CARE OF YOUR LORUS WATCH

This watch contains precise electronic components. Never attempt to open the case or remove the back cover.

BATTERY



Do not expose the old battery to fire or recharge it. Keep it at a place be-yond the reach of children. If a child wallows it, consult a doctor immedi ately

WATER RESISTANT

Condition of use Indication on the dial/ case back	Accidental contact with water, such as splashes and rain	Swimming and taking a shower	Skin div- ing	Scuba diving
No Indication	NO	NO	NO	NO
WATER RE- SISTANT	YES	NO	NO	NO
WATER RE- SISTANT (50M/5 BAR)	YES	YES	NO	NO
WATER RE- SISTANT (100M/10 BAR or above)	YES	YES	YES	NO

- If your watch is 200 M/20 BAR, 100 M/10 BAR or 50 M/5 BAR water resistant, it is so indicated on the dial/case back.
- Do not operate the buttons when the watch is wet.
- If the watch is exposed to salt water, rinse it in fresh water and then wipe it thoroughly dry.
- Should you find any water or condensation inside the watch, immediately have it checked. Water can corrode electric parts inside the case.

Caution:

Leather straps are not water resistant except so indicated, even if the watch head is water resistant.

ALLERGIC REACTION

- ALLERGIC REACTION Because the case and band touch the skin directly, it is important to clean them regularly. If not, shirt sleeves may be stained and those with delicate skin may develop a rash. Please wear the watch with some play to avoid any possible allergic reaction. If you develop a rash on your wrist, stop wearing and consult a physician.

MAGNETISM

Your watch will be adversely affected by strong magnetism. Keep it away from close contact with magnetic objects.

SHOCKS AND VIBRATIONS

Your watch may be worn for normal sports activities, but be careful not to drop it or hit it on hard surfaces.

TEMPERATURE

Your watch is preadjusted so that constant accuracy may be insured at normal temperature.

CLEANING

Use only a soft cloth and clean water for cleaning your watch. Never use chemicals, as the waterproof gasket will corrode.

SERVICE

When your LORUS watch requires repair or servicing, please see the enclosed WARRANTY/ GUARANTEE.